

THC+ Astro Bears Strawberry Gummies

Analysis ID: A16644-3

Customer

Product description: /	Method id: GCMS_GC_FID_general_v1.0	Cannastra, s.r.o., Žižkova
Batch number: na	Date of aquisition: 2026-01-23	708, 26101 Příbram II,
Sample type: edibles	Date of processing: 2026-01-24	Středočeský kraj, Česká
SFP id: V15336	Date of approval: 2026-02-04	republika
Sample received date: 2026-01-23	Remarks: /	
Remarks: /		

Assay of Main/Natural Cannabinoids

Short	Substance name	Assay	M.U.
CBG	Cannabigerol	% 0.12	0.05
CBC	Cannabichromene	ND ND	ND
CBGV	Cannabigerivarin	ND ND	ND
CBDV	Cannabidivarin	ND	ND
CBCV	Cannabichromevarin	0.13	ND
CBN	Cannabinol	0.02	ND
CBD	Cannabidiol	0.13	0.05
Δ8-THC	Δ8-tetrahydrocannabinol	ND ND	0.01
Δ9-THC	Δ9-tetrahydrocannabinol	ND ND	0.05
CBV	Cannabivarin	ND ND	ND
CBL	Cannabicyclol	ND	ND
CBE	Cannabielsoin		ND
Δ8-THCV	Δ8-tetrahydrocannabivarin		ND
Δ9-THCV	Δ9-tetrahydrocannabivarin		ND
CBT	Cannabicitran		ND
CBDB	Cannabidibutol		ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Assay of semisynthetic and synthetically derived cannabinoids

Short	Substance name	Assay	M.
iso-THC	Δ^8 -iso-Tetrahydrocannabinol	% ND	U.
S-HHC	9S-Hexahydrocannabinol	ND ND	ND
R-HHC	9R-Hexahydrocannabinol	ND ND	ND
R-HHCP	9R-Hexahydrocannabiphorol	ND ND	ND
S-HHCP	9S-Hexahydrocannabiphorol	ND ND	ND
d9-THCP	Trans- Δ^9 -tetrahydrocannabiphorol	ND ND	ND
CBDP	cannabidiphorol	ND ND	ND
RH4CBD	R-Tetrahydrocannibidiol	ND ND	ND
SH4CBD	S-Tetrahydrocannibidiol	ND ND	ND
d8-THCP	Trans- Δ^8 -Tetrahydrocannabiphorol	ND ND	ND
CBND	Cannabinodiol	ND ND	ND
ciso-HHC	cis-iso-Hexahydrocannabinol	ND ND	ND
tiso-HHC	trans-iso-Hexahydrocannabinol	ND ND	ND
H2CBD	8,9-Dihydrocannabidiol	ND ND	ND
d9-THCB	Δ^9 -Tetrahydrocannabibutol	ND ND	ND
9R-HHCAc	9R-Hexahydrocannabinol Acetate	ND ND	ND
Δ^{10} -THC	Δ^{10} -Tetrahydrocannabinol	ND ND	ND
CBGAc	Cannabigerol acetate	ND ND	ND
S-HHCAc	9S-Hexahydrocannabinol acetate	ND ND	ND
CBGmAc	Cannabigerol monoacetate isomer	ND ND	ND
CBNAc	Cannabinol acetate	ND ND	ND
Δ^9 -THCC8	Δ^9 -THC-C8	ND ND	ND
Δ^8 -THCC8	Δ^8 -THC-C8	ND ND	ND
CBNP	Cannabiphorol	ND ND	ND
Δ^3 -THC	9(R)- Δ^6a ,10a-THC	ND ND	ND
Δ^7 -THC	9(S)- Δ^7 -THC		ND
Δ^9 -THCH	Δ^9 -THCH		ND
Δ^8 -THCH	Δ^8 -THCH		ND
Δ^9 -THCO	Δ^9 -THC Acetate		ND
Δ^8 -THCO	Δ^8 -THC Acetate		ND
Δ^9 -THCPO	Δ^9 -THCP Acetate		ND
Δ^8 -THCPO	Δ^8 -THCP Acetate		ND
Δ^8 -THCHO	Δ^8 -THCH Acetate		ND
Δ^9 -THCVO	Tetrahydrocannabivarin Acetate		ND
Δ^8 -THCVO	Δ^8 -Tetrahydrocannabivarin Acetate		ND
Δ^8 -THCBO	Δ^9 -THCB Acetate		ND
S-HHCC8	9(S)-Hexahydrocannabinol-C8		ND
R-HHCC8	9(R)-Hexahydrocannabinol-C8		ND
R-HHCH	9(R)-Hexahydrocannabihexol		ND
S-HHCH	9(S)-Hexahydrocannabihexol		ND
R-HHCB	9(R)-Hexahydrocannabutol		ND
S-HHCB	9(S)-Hexahydrocannabihexol		ND
R-HHCV	9(R)-Hexahydrocannabivarin		ND
S-HHCV	9(S)-Hexahydrocannabivarin		ND
R-HHCPAc	9(R)-Hexahydrocannabiphorol Acetate		ND
S-HHCPAc	9(S)-Hexahydrocannabiphorol Acetate		ND
10H-RHHC	10(S)-hydroxy-9(R)-Hexahydrocannabinol		ND
OH-HHCP	10-hydroxy-Hexahydrocannabiphorol		ND
MCO-THC	Methyl Carbonate Tetrahydrocannabinol		ND
			ND

Method of Analysis: GC-FID (Gas Chromatography with Flame Ionization Detection) coupled with GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. quantification limit of 0.02 % (respectively 200 mg/kg). ND = Not Detected - below detection limit (lower than 0.01 % respectively 100 mg/kg).

Screening for Spice type compounds and other synthetic cannabinoids

Short	Substance name	Assay	M.
JWH018	JWH 018 CAS:209414-07-3	% ND	U.
JWH073	JWH 073 CAS:208987-48-8	ND ND	ND
JWH122	JWH 122 CAS:619294-47-2	ND ND	ND
JWH210	JWH 210 CAS:824959-81-1	ND ND	ND
JWH250	JWH 250 CAS:864445-43-2	ND ND	ND
AM2201	AM2201 CAS:335161-24-5	ND ND	ND
AM694	AM694 CAS:335161-03-0	ND ND	ND
AM1248	AM1248 CAS:335160-66-2	ND ND	ND
HU210	HU-210 CAS:112830-95-2	ND ND	ND
HU211	HU-211 CAS:112924-45-5	ND ND	ND
CP47497	(±)-CP 47,497 CAS:70434-82-1	ND ND	ND
CP55940	(±)-CP 55,940 CAS:83003-12-7	ND ND	ND
UR144	UR-144 CAS:1199943-44-6	ND ND	ND
XLR11	XLR11 CAS:1364933-54-9	ND ND	ND
AKB48	APINACA CAS:1345973-53-6	ND ND	ND
5FAKB48	5-fluoro AKB48 CAS:1400742-13-3	ND ND	ND
PB22	PB-22 CAS:1400742-17-7	ND ND	ND
5FPB22	5-fluoro PB-22 CAS:1400742-41-7	ND ND	ND
FUB144	FUB-144 CAS:2185863-15-2	ND ND	ND
FUBAMB	MMB-FUBINACA CAS:1971007-92-7	ND ND	ND
ABFUB	AB-FUBINACA CAS:1185282-01-2	ND ND	ND
ABCHMI	AB-CHMINACA CAS:1185887-21-1	ND ND	ND
ADBFB	ADB-FUBINACA CAS:1445583-51-6	ND ND	ND
ADBPINA	ADB-PINACA CAS:1633766-73-0	ND ND	ND
MABCHMI	MAB-CHMINACA CAS:1863065-92-2	ND ND	ND
MDMBCHMI	MDMB-CHMICA CAS:1971007-95-0	ND ND	ND
5FADB	(R)-5-fluoro ADB CAS:1838134-16-9		ND
CUMYPINA	5-fluoro CUMYL-PINACA CAS:1400742-16-6		ND
AFB48	AKB48 N-(4-fluorobenzyl) analog CAS:2180933-90-6		ND
5FAMB	5-fluoro AMB CAS:1801552-03-3		ND
5FABICA	5-fluoro ABICA CAS:1801338-26-0		ND
5FSDB006	5-fluoro SDB-006 CAS:1776086-02-2		ND
ADTHPIN	ATHPINACA isomer 1 CAS:1400742-48-4		ND
ADBCHMI	ADB-CHMICA CAS:2221100-70-3		ND
SGT67	5-fluoro CUMYL-PICA CAS:1400742-18-8		ND
CUMPINA	CUMYL-PINACA CAS:1400742-15-5		ND
CUMP7AIC	5-fluoro CUMYL-P7AICA CAS:2171492-36-5		ND
CUMPICA	CUMYL-PICA CAS:1400742-32-6		ND
SDB006	SDB-006 CAS:695213-59-3		ND
ABPINA	AB-PINACA CAS:1445752-09-9		ND
SGT78	4-cyano CUMYL-BUTINACA CAS:1631074-54-8		ND
5FMD2201	5-fluoro MDMB-PICA CAS:1971007-88-1		ND
4FMDBIN	4-fluoro MDMB-BUTINACA CAS:2390036-46-9		ND
MD4enPIN	MDMB-4en-PINACA CAS:2504100-70-1		ND
4FMDBIC	4-fluoro MDMB-BUTICA CAS:2682867-53-2		ND
CUMPEGA	CUMYL-PeGACLONE CAS:2160555-55-3		ND
ADBUTI	ADB-BUTINACA CAS:2682867-55-4		ND
5FCUMPeG	5-fluoro CUMYL-PeGACLONE CAS:2377403-49-9		ND
ADB4PIN	ADB-4en-PINACA CAS:2666932-44-9		ND
5FMBPICA	5-fluoro EDMB-PICA CAS:2666934-54-7		ND
5BrAKB48	5-bromo APINACA CAS:2160555-51-9		ND

Short	Substance name	Assay	M.
5FEPIC	5-fluoro EMB-PICA CAS:2648861-83-8	% ND	U.
MD5BrIN	MDMB-5Br-INACA CAS:MD5BrIN	ND ND	ND
ADB5BrIN	ADB-5Br-INACA CAS:ADB5BrIN	ND ND	ND
EADBFU	5,3-ADB-4en-PFUPPYCA CAS:EADBFU	ND ND	ND
FUACADB	ADB-FUBIATA CAS:2938025-73-9	ND ND	ND
AP5BIN	ADB-5'Br-PINACA CAS:AP5BIN	ND ND	ND
SGT152	CUMYL-NBMINACA CAS:1631074-60-6	ND ND	ND
ADBHEX	ADB-HEXINACA CAS:ADBHEX	ND ND	ND
RCS4	RCS-4 CAS:1345966-78-0	ND ND	ND
FAP7A	5-fluoro 7-APAICA CAS:2682867-58-7	ND ND	ND
BZHEX	MDA 19 CAS:1048973-47-2	ND ND	ND
BZPOX	BZO-POXIZID CAS:1048973-64-3		ND
CUCHM	CUMYL-CH-MeGACLONE CAS:2813950-07-9		ND
7AICA	AP7AICA CAS:2366269-62-5		ND
CMP7CA	CUMYL-P7AICA CAS:2366268-31-5		ND
EDMBPIN	EDMB-PINACA CAS:2666934-55-8		ND
MDMBPIN	MDMB-PINACA CAS:1971007-99-4		ND
MDMBBUTI	MDMB-BUTINACA CAS:3039541-81-3		ND
MDMB5INA	MDMB-5Me-INACA		ND
EDMB4PIN	EDMB-4en-PINACA CAS:EDMB4PIN		ND
MDMBrPIN	MDMB-5'Br-4en-PINACA CAS:MDMBrPIN		ND
			ND

Method of Analysis: GC-MS (Gas Chromatography-Mass Spectrometry). The determined measurement uncertainty (M. U.) is always given in the same unit as specified result. ND = Not Detected - below detection limit 0.01%.

Issued by SFP d.o.o., Ljubljana, Slovenia. These results relate only to the test article listed in this report.
Any reproduction of this document is not allowed without the permit of SFP d.o.o.

This certificate was reviewed by Ivan
Plantan PhD, quality control on
2026-02-04.

Plantan

This certificate was approved by Tina
Pungartink, director on 2026-02-04.

T. Pungartink